## **Amendments to the Claims**

Please amend claims 1-2, 7-8, 13-17, 22, 29-31, 36, 38, 40-41, 45-48, 54, 57, and 60 as follows.

(Currently amended) A method of visualizing a real 3-D desired view of an object by a
user using a computer, comprising the steps of:

capturing the images of the object as a sequence of images <u>according to an image</u> <u>capturing sequence</u>;

encoding the sequence of images as video having video frames, each video frame tagged with viewing angle information of the corresponding image; and

viewing visualizing the object by displaying the frame substantially corresponding to the user's desired view angle in 3-D by random access of the video.

2. (Currently amended) The method of <u>visualizing a desired view of an object by a user using a computer, comprising the steps of: elaim 1, wherein step of capturing is performed by taking samples of the images of the object from a viewing angle of an azimuth angle  $\theta$  and an elevation angle  $\phi$  in the spherical coordinates.</u>

capturing images of the object as a sequence of images according to an image capturing sequence;

encoding the sequence of images as video having video frames, each video frame tagged with viewing angle information of the corresponding images; and

visualizing the object by displaying the frame substantially corresponding to the user's desired view angle,

wherein the step of capturing is performed by taking samples of the taking samples of the images of the object from a viewing angle of an azimuth angle  $\theta$  and an elevation angle  $\emptyset$  in the spherical coordinates..

- 3. (Original) The method of claim 2, wherein the video frames are tagged with  $\theta$  and  $\emptyset$ .
- 4. (Original) The method of claim 2, wherein the step of taking samples uses a slicing sampling technique where a series of samples are taken with  $\theta$  updated in constant steps and with  $\emptyset$  fixed before another series of samples are taken with the updated  $\emptyset$ .
- 5. (Original) The method of claim 2, wherein the step of taking samples uses an anisotrophic spiral sampling technique, where a series of samples are taken with  $\theta$  and  $\emptyset$  changed in constant steps.
- 6. (Original) The method of claim 2, wherein the step of taking samples uses an isotrophic spiral sampling technique, where a series of samples are with  $\theta$  and  $\emptyset$  changed so that the distance between two adjacent samples is substantially equal.
- 7. (Currently amended) The method of claim 1 2, wherein the video is streamed so that the viewing visualization can start as soon as one or more frames have been received.
- 8. (Currently amended) The method of claim  $1 \frac{2}{2}$ , wherein the step of encoding includes the step of compressing the video.

- 9. (Original) The method of claim 8, wherein the step of compressing uses MPEG.
- 10. (Original) The method of claim 8, wherein the step of compressing uses H.261.
- 11. (Original) The method of claim 8, wherein the step of compressing uses H.263.
- 12. (Original) The method of claim 8, wherein the step of compressing uses H.263+.
- 13. (Currently amended) The method of claim 1, wherein the step of viewing visualization includes the step of pre-decoding the video for real-time display.
- 14. (Currently amended) The method of claim 1 2, wherein the video is compressed using MPEG and the step of viewing the object visualization includes the step of streaming I frames followed by P frames followed by B frames pre-decoding the video for real-time display.
- 15. (Currently amended) The method of claim 4 2, wherein the step of viewing visualizing the object includes the step of streaming the most important frames first.
- 16. (Currently amended) The method of claim 4 2, further including the step of editing the captured images before encoding.

- 17. (Currently amended) The method of claim 1 2, further comprising the step of manipulating the viewing angle of the object while viewing visualizing the object.
- 18. (Original) The method of claim 17, wherein the step of manipulating includes the step of rotating the object.
- 19. (Original) The method of claim 17, wherein the step of manipulating includes the step of zooming the object.
- 20. (Original) The method of claim 17, wherein the step of manipulating includes the step of manipulating the object in the NEWS (north-east-west-south) mode, where the object is rotated along the east-west direction or along the north-south direction.
- 21. (Original) The method of claim 17, wherein the step of manipulating includes the step of manipulating the object in the AVIATION mode, where the object is rotated along the direction of the two orthogonal great circle of a sphere having the object at the center.
- 22. (Currently amended) The method of claim 4 2, further comprising the step of storing the image sequence in a database.
- 23. (Original) The method of claim 22, wherein the database is a centralized database.
- 24. (Original) The method of claim 22, wherein the database is a distributed database.

- 25. (Original) The method of claim 22, wherein the database is accessed through a network.
- 26. (Original) The method of claim 25, wherein the network is the Internet.
- 27. (Original) The method of claim 26, further comprising the step of publishing the URL corresponding to the location of the image sequence within the database.
- 28. (Original) The method of claim 27, wherein the URL is password protected.
- 29. (Currently amended) The method of claim 4 2, wherein the step of viewing visualization including the step of downloading a separate multimedia stream.
- 30. (Currently amended) The method of claim 29, wherein the separate multimedia steam stream includes zoom data requested by the user.
- 31. (Currently amended) The method of claim 26 29, wherein the separate multimedia stream includes other related data requested by the user.
- 32. (Original) The method of claim 31, wherein the related data is video.
- 33. (Original) The method of claim 31, wherein the related data is still images.
- 34. (Original) The method of claim 31, wherein the related data is sound.

- 35. (Original) The method of claim 31, wherein the related data is coordinates of points on the object.
- 36. (Currently amended) A system of visualizing a real 3-D desired view of an object by a user using a computer, comprising the steps of:

an image capture device for capturing images of the object as a sequence of images; an encoder for encoding the sequence of images as video having video frames, each video frame tagged with viewing angle information of the corresponding image; and

a viewer visualizer for viewing visualizing the object in 3-D by displaying the frame substantially corresponding to the user's desired view angle.

- 37. (Original) The system of claim 36, wherein the image capture device includes a camera.
- 38. (Currently amended) The A system of elaim 36, visualizing a desired view of an object by a user using a computer, comprising the steps of:

an image capture device for capturing images of the object as a sequence of images; an encoder for encoding the sequence of images as video having video frames, each video frame tagged with viewing angle information of the corresponding image; and a visualizer for visualizing the object in 3-D by displaying the frame substantially corresponding to the user's desired view angle,

wherein the image capture device has means for taking samples of the images of the object from a viewing angle of an azimuth angle  $\theta$  in the horizontal plane and an elevation

angle ø from the horizontal plane.

- 39. (Original) The system of claim 38, wherein the video frames are tagged with  $\theta$  and  $\emptyset$ .
- 40. (Currently amended) The system of claim 36 38, wherein the video is streamed so that the viewing visualization can start as soon as one or more frames have been received.
- 41. (Currently amended) The system of claim 36 38, wherein the encoder includes a video compressor for compressing the video.
- 42. (Original) The system of claim 41, wherein the video compressor is an MPEG encoder.
- 43. (Original) The system of claim 41, wherein the video compressor is an H.261 encoder.
- 44. (Original) The system of claim 41, wherein the video compressor is an H.263 encoder.
- 45. (Currently amended) The system of claim 36 38, wherein the viewer visualizer includes a look-up-table (LUT) for mapping the view angle to a frame number.
- 46. (Currently amended) The system of claim 36 38, wherein the viewer visualizer includes a pre-decoder for pre-decoding the video for fast retrieval.

- 47. (Currently amended) The system of claim 36 38, further including an editor for editing the captured images after encoding.
- 48. (Currently amended) The system of claim 37 38, wherein the viewer visualizer includes means for manipulating the object while viewing visualizing.
- 49. (Original) The system of claim 37, further comprising a database for the image sequence in a database.
- 50. (Original) The system of claim 49, wherein the database is a centralized database.
- 51. (Original) The system of claim 49, wherein the database is a distributed database.
- 52. (Original) The system of claim 49, further comprising a network for access the database.
- 53. (Original) The system of claim 52, wherein the network is the Internet.
- 54. (Currently amended) A program product for viewing and manipulating a real 3-D enabling a user to visualize a desired view of an object by a user, which can run at a computer to perform the steps of:

capturing the images of the object as a sequence of images <u>according to a particular</u> capturing sequence;

encoding the sequence of images as video having video frames, <u>each frame tagged with</u> viewing information of the corresponding image;

storing the video in a database; and

viewing visualizing the object in 3-D through random access of the video; and manipulating the object in 3-D by displaying the frame substantially corresponding to the user's desired view angle.

- 55. (Original) The program product of claim 54, wherein the video is encoded using MPEG.
- 56. (Original) The program product of claim 54 wherein the database is accessed through the Internet.
- 57. (Currently amended) The A method for enabling a user to visualize and manipulate a real 3-D a desired view of an object, comprising the steps of:

capturing the images of the object as a sequence of images <u>according to a particular</u> <u>image capturing sequence</u>;

encoding the sequence of images as video having video frames, <u>each frame tagged with</u> viewing information of the corresponding image;

storing the video in a database; and sending the video at the request of the user over a network.

58. (Original) The method of claim 57, wherein the video is encoded using MPEG.

- 59. (Original) The method of claim 57, wherein the network is the Internet.
- 60. (Currently amended) The method of claim 57, further comprising the steps of: receiving the video by a user; <u>and</u>

viewing visualizing the object in 3-D through random access of the received video; and manipulating the object in 3-D by displaying the frame substantially corresponding to the user's desired view angle.

- 61. (Original) A method of visualizing 3-D volume data of an object, comprising the steps of: capturing the 3D volume data as a stack of 2D tomographic images of the object; obtaining a sequence of projected 2D images by projecting the 3D volume data at prescribed azimuth and elevation angles; encoding the sequence of projected 2D images wherein each images are tagged with azimuth and elevation angles; storing the sequence of 2D images; and viewing the object in 3-D by random access of stored 2D image sequence.
- 62. (Original) The method of claim 61 wherein the step of capturing the 3D volume data uses positron emission tomography (PET).
- 63. (Original) The method of claim 61, wherein the step of capturing the 3D volume date uses single positron emission computed tomography (SPECT).
- 64. (Original) The method of claim 61, wherein the step of capturing the 3D volume data uses X-ray computed tomography (CT).

- 65. (Original) The method of claim 61, wherein the step of capturing the 3D volume data uses ultrasound imaging.
- 66. (Original) The method of claim 61, wherein the step of capturing the 3D volume data uses magnetic resonance imaging (MRI),
- 67. (Original) The method of claim 61 wherein the step of encoding includes video encoding using MPEG.
- 68. (Original) The method of claim 61, wherein the object includes human bodies.
- 69. (Original) The method of claim 61, wherein the object includes biological tissues.
- 70. (Original) The method of claim 61, wherein the object includes organic materials.
- 71. (Original) The method of claim 61, wherein the object includes inorganic materials.
- 72. (Original) The method of claim 61, further comprising the step of manipulating the object.
- 73. (Original) The method of claim 72, wherein the step of manipulating includes the step of rotating the object.

74. (Original) A method of visualizing 3-D volume data of an object, comprising the steps of: obtaining a sequence of 2D images at prescribed azimuth and elevation angles rendered by a CAD program; encoding the sequence of 2D images where each images are tagged with azimuth and elevation angles; storing the sequence of 2D images; and viewing the object in 3-D by random access of stored 2D image sequence.

75. (Original) The method of claim 74, wherein the step of encoding includes video encoding using MPEG.

76. (Original) The method of claim 74, further including the step of manipulating the object.

77. (Original) The method of claim 76, wherein the step of manipulating includes the step of rotating the object.

78. (Original) A method of providing a customer with a one-stop service for 3-D visualization of a real object over the Internet, comprising the steps of: receiving the object from the customer; capturing images of the object as a sequence of images each images tagged with an azimuth angle  $\theta$  and an elevation angle  $\theta$  in the spherical coordinates; and storing the image sequence in a database for transmission over the Internet at the request of a user.

79. (Original) The method of claim 78, wherein the image sequence is assigned a URL for a user of the Internet to access the image sequence.

- 80. (Original) The method of claim 79, wherein the accessed image sequence is used to view the object in 3-D by the user.
- 81. (Original) The method of claim 79, wherein the accessed image sequence is used to manipulate the object in 3-D by the user.
- 82. (Original) The method of claim 78, wherein the image sequence is encoded as video.
- 83. (Original) The method of claim 82, wherein the video encoding uses MPEG.